

DATASHEET

Chicago Metallic[™] L Profiles







Sounds Beautiful

Chicago Metallic™ L Profiles


- Visible sides adapted to the variety of grid widths
- Perfect colour match with ceiling grids
- Choice of different heights for installation purposes

Assortment

Product group		Component description	Length (mm)	Colour	Pcs per pack	Lm per pack	Kg per pack
Wall angle options							
L24x24		L Wall angle 24 x 24mm	3000	02	40	120	16,8
L24x24			3000	02	40	120	19,7
L20x14		L Wall angle 20 x 14mm	3000	02	40	120	14,78
L24x14		L Wall angle 24 x 14mm	3000	02	40	120	15,6

Product description


L24x24



- • Symmetrical 24 x 24mm wall angle with hemmed edges
- Profile can be used from both sides

Body Material thickness 0,33 mm


L24x24



- • Symmetrical 24 x 24mm wall angle with hemmed edges
- Profile can be used from both sides

Body Material thickness 0,4 mm


L20x14



- • Asymmetrical 20 x 14mm wall angle with hemmed edges
- Profile can be used from both sides

• Narrow face to meet high aesthetic requirements
Body Material thickness 0,4 mm

L24x14



- • Asymmetrical 24 x 14mm wall angle with hemmed edges
- Profile can be used from both sides
- Narrow face to meet high aesthetic requirements
- High mounting surface of 24mm

Body Material thickness 0,4 mm

Performance



Reaction to fire

Non-combustible

Sounds Beautiful

